(46)



H.P. STATE POLLUTION CONTROL BOARD REGIONAL LABORATORY, SHIMLA

Him Parivesh, Phase-III, Below BCS, New Shimla-9

No/PCB/RL Shimla/Analysis Report Online / 2019-

9448

Dated 2-5-19

To

The Environmental Engineer, Regional Office, H.P State Pollution Control Board Shimla - H.P- 171009.

Sub:

Analysis results of Study sample received offline in Regional Laboratory,

Shimla.

Sir,

Please find enclosed herewith analysis Report No. 2287 dated 02.05.19 of the ambient air sample Received vide letter no HPSPCB/ROS/Sample/19-2071 Dated 14.03.19 You are requested to send the analysis report to concern.

Submitted for your kind information and necessary action please.

Thanking You,

Yours faithfully

(Sanjeev Sharma) Sr. Scientific Officer In-charge Regional Laboratory

Shimla

3/5





H.P. STATE POLLUTION CONTROL BOARD REGIONAL LABORATORY, SHIMLA

Him Parivesh, Phase-III, Below BCS, New Shimla-9

Analysis report of ambient air (Study Sample) received from RO Shimla vide letter No. HPSPCB/ROS/Sample/19-2071 Dated 14.03.19

ANALYSIS REPORT

Sr. No.	Sample	Report No.	R.S.P.M (μg/m3)	NO ₂ (μg/m3)		SO ₂ (μg/m3)	
1.	Ambient air Sample of St. Bede's College Shimla	2287	09:30 AM -5:30 PM	09:30 AM to 01:30 PM Shift -I	09:30 AM to 05:30 PM Shift-II	09:30 AM to 01:30 PM Shift-I	09:30 AM to 05:30 PM Shift-II
			52.0	25.14	28.79	BDL	BDL

*Remarks: All parameters are with in prescribed limits

(San leev Sharma) Sr. Solentitic Officer In-charge Regional Laboratory

Shimla